
OCTOBER QUESTION BANK

Computer – 2nd.Sec

First Term 2023 – 2024



إعداد وتصميم/فريق أصدقاء الكمبيوتر – أ/ياسمين شعيب

Questions

Question 1: Put (√) Or (X):

1. The variable declaration begins with the$ sign ( )
2. Microsoft Excel is a coding language used to create a static web page that is saved with the.htm extension ( )
3. Expression web application allows creating web pages and saving them on the computer, but it does not allow viewing the code for these pages. ( )
4. Banner is the term used to refer to the image that appears at the top of all pages of the website. ( )
5. HTML code can be written using a word processing program such as MS Word – Notepad . ( )
6. The command that we write inHTML is called a tag and it must be written in capital letters. ( )
7. All tags have a beginning <.....> and an closing </.....>. ( )
8. EachTag has properties that must be assigned to it at the beginning of theTag . ( )
9. </Body> ... <Body> We put in it all types of data and information that are required to be displayed by the Internet browser. ( )
10. </Head> ... <Head> is used to display information such as site descriptioncode /writer name. ( )
11. There is only one type of operators in ،PHP which is arithmetic operators. ( )
12. When using the IF condition statement if the result of the condition isTrue the program executes the code that follows ،Else command . ( )

13. The code $A="First" is an assignment statement and the"=" sign is an assignment parameter. ( )

14. PHP statement ends with the"#" sign. ( )

15. Every statement inPHP ends with a semicolon";" ( )

16. The title of the input screen(Add term) can be written in a separate by inserting a section from the Tools window. ( )

17. The @ sign is used to not show an error message if the value of the variable is empty. ( )

18. The Tools window at the top right of the program screen is used to insert controls on the page in Design Mode. ( )

19. Form cannot be inserted from the tools window. ( )

20. It is not allowed to set theForm property toPost orGet. ( )

21. (define) used for defining the constant ( )

22. Variables and constants in thePHP language are affected by uppercase or lowercase letters. ( )

23. It is possible to control that the constant in thePHP language is not sensitive to lowercase or uppercase letters. ( )

24. three types of operators in the PHP language ( )

25. The logical operator || means AND in PHP language ( )

26. The logical operator && means OR in PHP language ( )

27. The result will be true for the logical operator || if one of two is true. ( )

28. The result will be false for the logical operator AND if both of two are true. ( )

29. The written code which comes after else into if sentence, is executed when the condition is true. ( )

30. Use the code echo to print within PHP language. ( )

31. In (if.....else if) sentence, the code which comes after else will be executed even if the first condition didn't accomplish. ( )

( )

32. The type POST doesn't display the data that have been sent within URL.

33. The type GET used to send passwords or any important data into the webpage. ( )

Question ٢: Complete the following sentences using what is between brackets:-

(start -<Html> -define -</Html> - left -</Tag> -Tags - right)

1. We start writing the code in HTML with the command.....
2. The term..... is given to commands that are written in HTML and enclosed between the< > tags .
3. All tags are written from ..... to.....
4. <Tag> formula is ..... the Tag .
5. The formula ..... is the end of the tag .
6. Declaring a constant in php begins with the command.....

(Switch - ; semicolon - Two - Exit)

1. Every sentence in PHP ends with.....
2. Code $y=($x==1)?'One':'Two'; If $x equals ٢ then $y equals.....
3. The..... command is used to exit the Switch statement without executing anything.
4. Through the conditional statement.....several conditions can be tested, and each time a condition is met, a specific code is executed.

(conditional expression –AND, OR – clause+ , * , % – If –> , >= . != =)

1. Arithmetic operators in php language .....
2. .....It is used to set a specific condition and test it. If the result is

   True, a specific code is executed, and if the result is False, another code is executed
3. logical operators inphp .....
4. .....It is a comparison between two variables or a variable and a constant between them as a comparison factor.
5. ..... From the logical operators in thePHP language .

Question3:Choose the correct answer :

1. HTML code/file save as type.....

   (htm –php –xls)
2. HTML code can be displayed by.....

   (internet browsers, word processing programs, both)
3. To write HTML codes use.....

   (internet browsers, word processing programs, both)
4. HTML codes are written in.....

   (Notepad– google chrome– PowerPoint)
5. HTML tags are written in..... letters.

   (uppercase, lowercase, both)
6. The code in HTML is called.....

   (tag, title, head)
7. HTML tags should be written between these symbols.....

   (“–“, <>,both)
8. Some tags has no closed or end such as.....

   (<body> –
 – <title>)

9. ..... tag is used for adding a title to a webpage

(title- body – align)

10. ..... tag is used for alignment

(align- title – body)

11. In PHP language every text is written in <body> and the default direction should be from.....

(left, right, centre)

12. .....program used to link between webpages with HTML tags support.

(Notepad, WordPad, Expression Web)

13. We use ..... To move to a specific URL.

(<a href> - <body> -<p align>)

14. Every sentence in PHP must starts with.....

(; - : - //)

15. .....Is stored in memory and has a name, a type , and an allocation which referred to as a value, this value is changing during the program and PHP language execution .

(variable, constant, commands)

16. The variable's name in PHP language starts with.....

($- ; -/*)

17. To print two of chains of characters use.....

($- . -/*)

18. .....Is stored in memory and has a name, a type, and an allocation which referred to as a value, this value doesn't change during the program and PHP language execution.

(variable, constant, commands)

19. In PHP language the variable(sum=mohammed$) is type of.....

(integer- double – string)

20. The code that follow if directly accomplish if the condition was.....

(true, false, illogical)

21. Conditional statements can test lots of conditions, and every time the condition accomplishes through.....

(in line if – if.....else – switch)

22. In HTML to add a title into a webpage, you must write it in a tag.....

(<title> – <body> –<head>)

23. In HTML to insert a text to the page header, you must write it in a tag.....

(<title> – <body> –<head>)

24. align="right" means align text to.....

(left, right, center)

25. To create a new website within Expression web click on ..... menu, then select (new site).

(view, site, edit)

26. To create a new webpage within Expression web click on..... menu then select

(edit – view – file)

27. To insert an image banner in Expression Web select .....from file.

(insert – view – file)

28. The maximum amount of data that used by the type (GET) is .....7000 character.

(greater than, less than, equal)


29. The option (action) in Expression Web moves to its operator when click on ..... Button.

(delete – Add – submit)

30. PHP language used for creating.....webpages.

(static, dynamic, main)

Model Answer



Question 1: Put (√) Or (X):

1. The variable declaration begins with the$ sign ( )
2. Microsoft Excel is a coding language used to create a static web page that is saved with the.htm extension ( )
3. Expression web application allows creating web pages and saving them on the computer, but it does not allow viewing the code for these pages. ( )
4. Banner is the term used to refer to the image that appears at the top of all pages of the website. ( )
5. HTML code can be written using a word processing program such as MS Word – Notepad. ( )
6. The command that we write inHTML is called a tag and it must be ، written in capital letters. ( )
7. All tags have a beginning <.....> and an closing </.....>. ( )
8. EachTag has properties that must be assigned to it at the beginning of theTag. ( )
9. </Body> ... <Body> We put in it all types of data and information that are required to be displayed by the Internet browser. ( )
10. </Head> ... <Head> is used to display information such as site descriptioncode /writer name. ( )
11. There is only one type of operators in ،PHP which is arithmetic operators. ( )
12. When using the IF condition statement if the result of the ، condition isTrue the program executes the code that follows ،Else command. ( )

13. The code $A="First" is an assignment statement and the"=" sign is an assignment parameter. ( )

14. PHP statement ends with the"#" sign. ( )

15. Every statement inPHP ends with a semicolon";" ( )

16. The title of the input screen(Add term) can be written in a separate by inserting a section from the Tools window. ( )

17. The @ sign is used to not show an error message if the value of the variable is empty. ( )

18. The Tools window at the top right of the program screen is used to insert controls on the page in Design Mode. ( )

19. Form cannot be inserted from the tools window. ( )

20. It is not allowed to set theForm property toPost orGet. ( )

21. (define) used for defining the constant ( )

22. Variables and constants in thePHP language are affected by uppercase or lowercase letters. ( )

23. It is possible to control that the constant in thePHP language is not sensitive to lowercase or uppercase letters. ( )

24. three types of operators in the PHP language ( )

25. The logical operator II means AND in PHP language ( )

26. The logical operator && means OR in PHP language ( )

27. The result will be true for the logical operator II if one of two is true. ( )

28. The result will be false for the logical operator AND if both of two are true. ( )

29. The written code which comes after else into if sentence, is executed when the condition is true. ( )

30. Use the code echo to print within PHP language. ( )

31. In (if.....else if) sentence, the code which comes after else will be executed even if the first condition didn't accomplish. ( )

32. The type POST doesn't display the data that have been sent within URL. ( )

33. The type GET used to send passwords or any important data into the webpage. ( )

Question ٢: Complete the following sentences using what is between brackets:-

(start -<Html> -define -</Html> - left -</Tag> -Tags - right)

1. We start writing the code inHTML with the command.....
2. The term..... is given to commands that are written inHTML and enclosed between the< >tags .
3. All tags are written from ..... to.....
4. <Tag> formula is ..... theTag .
5. The formula ..... is the end of the tag .
6. Declaring a constant inphp begins with the command.....

(Switch - ; semicolon - Two - Exit)

1. Every sentence inPHP ends with.....
2. Code$y=($x==1)?'One': 'Two'; If$x equals ٢ then$y equals.....
3. The..... command is used to exit theSwitch statement without executing anything.
4. Through the conditional statement.....several conditions can be tested, and each time a condition is met, a specific code is executed.

(conditional expression -AND, OR - clause+ , * , % - If -> , >= . !==)

1. Arithmetic operators in php language .....
2. .....It is used to set a specific condition and test it. If the result is

   True, a specific code is executed, and if the result is False,another code is executed
3. logical operators inphp .....
4. .....It is a comparison between two variables or a variable and a constant between them as a comparison factor.
5. ..... From the logical operators in thePHP language .

Question3:Choose the correct answer :

1. HTML code/file save as type.....
   (htm -php -xls)
2. HTML code can be displayed by.....
   (internet browsers, word processing programs, both)
3. To write HTML codes use.....
   (internet browsers, word processing programs, both)
4. HTML codes are written in.....
   (Notepad- google chrome- PowerPoint)
5. HTML tags are written in..... letters.
   (uppercase, lowercase, both)
6. The code in HTML is called.....
   (tag, title, head)
7. HTML tags should be written between these symbols.....
   ("-", <>,both)
8. Some tags has no closed or end such as.....
   (<body> -
 - <title>)
9. ..... tag is used for adding a title to a webpage
   (title- body – align)
10. ..... tag is used for alignment
    (align- title – body)
11. In PHP language every text is written in <body> and the default direction should be from.....
    (left, right, centre)
12. .....program used to link between webpages with HTML tags support.
    (Notepad, WordPad, Expression Web)
13. We use ..... To move to a specific URL.
    (<a href> - <body> -<p align>)

14. Every sentence in PHP must starts with.....

(; - : - //)

15.....Is stored in memory and has a name, a type , and an allocation which referred to as a value, this value is changing during the program and PHP language execution .

(variable, constant, commands)

16.The variable's name in PHP language starts with.....

($- ; -/*)

17. To print two of chains of characters use.....

($- . -/*)

18.....Is stored in memory and has a name, a type, and an allocation which referred to as a value, this value doesn't change during the program and PHP language execution.

(variable, constant, commands)

19.In PHP language the variable(sum=mohammed$) is type of.....

(integer- double – string)

20. The code that follow if directly accomplish if the condition was.....

(true, false, illogical)

21. Conditional statements can test lots of conditions, and every time the condition accomplishes through.....

(in line if – if.....else – switch)

22. In HTML to add a title into a webpage, you must write it in a tag.....

(<title> - <body> -<head>)

23. In HTML to insert a text to the page header, you must write it in a tag.....

(<title> - <body> -<head>)

24. align=" right" means align text to.....

(left, right, center)

25. To create a new website within Expression web click on ..... menu, then select (new site).

(view, site, edit)

26. To create a new webpage within Expression web click on..... menu then select

(edit – view – <u>file</u>)

27. To insert an image banner in Expression Web select .....from file.

(<u>insert</u> – view – file)

28. The maximum amount of data that used by the type (GET) is .....7000 character.

(<u>greater than</u>, less than, equal)


29. The option (action) in Expression Web moves to its operator when click on ..... Button.

(delete – Add – <u>submit</u>)

30. PHP language used for creating.....webpages.

(static, <u>dynamic</u>, main)

Model Exams



Model One

Question ١: Put (√) Or (X):

1. The variable declaration begins with the$ sign ( )
2. The command that we write inHTML is calleda tag and it must be . ( )
   .written in capital letters
3. There is only one type of operatorsin ،PHPwhich is arithmetic ( )
   .operators
4. The code$A="First" is an assignment statement and the"=" sign is ( )
   .an assignment parameter
5. form .cannot be inserted from the tools window ( )

Question ٢: Complete the following sentences:-

1. html code is saved with the extension.....
   (htm -php -xls)
2. The html code is displayed through programs.....
   (Internet browsers - word processing - both)
3. Every text written in the<body> in theHTML language has the default direction.....
   (Left - Right - Center)
4. Every sentence in thePHP language ...must end with
   (; - : - //)
5. The variable name in PHPbegins ...with a
   ($- ; - / *)

Model Two

Question ١: Put (√) Or (X):

1. Banner is the term used to refer to the image that appears at the top of all pages of the website. ( )
2. HTML code can be written using a word processing program such as MS Word – Notepad. ( )
3. three types of transactions in the PHP language ( )
4. The logical operator II means AND in php ( )
5. The logical operator && means OR in php. ( )

Question ٢: Complete the following sentences:-

1. To create a new page in the Expression Web program from the New menu, we choose...

   (edit – view – file)

2. To insert an image into the banner in the expression web program we choose...

   From file

   (insert – view – file)

3. The maximum data used in the Get method is ٧٠٠٠ characters.

   (Larger – smaller_equals)

4. action property in the expression web program is moved to its parameter when the button is pressed...

   (delete – add – submit)

5. PHP .....is a language used to create a web page

   (Static – dynamic – Main)

Model Three

Question ١: Put (√) Or (X):

1. </Head> ... <Head> is used to display information such as site .description/code writer name ( )
2. There is only one type ofoperators inPHP which is arithmetic . operators ( )
3. The code$A="First" is an assignment statement and the"=" sign is .an assignment parameter ( )
4. The result isFALSE for the logical operatorAND if both sides are true ( )
5. The code written afterElse in anif statement is executed when the condition is true ( )

Question ٢: Complete the following sentences:-

1. Every text written in the<body> language in theHTML language has the default direction.

   (Left – Right – Center)
2. The..... program is used to link web pages inHTML code

   (WordPad – Notepad – expression web)
3. .To move to a specific address, we use the ..... command

   (<a href > - <body> -<p align>)
4. align="right" property means aligning the text.....

   (right – left – center)
5. To create a new website in theexpression web program from the menu..... choose New Site .

   (edit-site-view)

Model One

Question ١: Put (√) Or (X):	Question ٢: Complete the following sentences:-
(√)	htm
(x)	Internet browsers
(x)	the left
(√)	.
(x)	$

Model Two

Question ١: Put (√) Or (X):	Question ٢: Complete the following sentences:-
(x)	file
(x)	insert
(x)	Larger
(√)	submit
(√)	dynamism

Model Three

Question ١: Put (√) Or (X):	Question ٢: Complete the following sentences:-
(√)	the left
(x)	expression web
(√)	<a href>
(x)	right
(x)	site